

Parts List - Par Caddy XR5G - Rev: Feb 2017









XR5G















For any parts not listed or if you have any questions, please contact Mike at Par Caddy Canada Inc. by phone or email. 705-770-2828 or info@parcaddy.ca

Identifying your XR5G 1. Remove a drive wheel and see the metal 3 pronged drive coupler fastened to the axle with a nut and bolt and the wheel has a corresponding hub pattern. 2. The base of the lower pole clicks into position by releasing a metal spring clip. 3. There is a separate motor and gearbox on each side - see pics below.



Part #	Description	Price	Pic	Comments
E101	ECU - main controller - NO LONGER AVAILABLE - see Part # K101B below			Compatible with XR4 - XR6 - Short lead is right motor - longer lead is left motor.
E102	Handle electric circuit board #69934	\$ 35.00		With short microswitches - use with silicone switch caps
E104	Handle electric circuit board holder XR5 - XR5G	\$ 6.00		
E106	HE face sticker - XR5	\$ 3.00		Sticks on E104
E107	Wiring harness	\$ 15.00		Inside cart frame - runs from ECU to handle electrics
X109	Main battery Lithium 12V-20AH	\$ 425.00		Includes padded battery bag, wiring harness and 5A Lithium battery charger
X110	Battery bag for 32 AH SLA (not lithium)	\$ 15.00		May vary slightly from that shown - depending on availability
X111	Battery wiring harness	\$ 15.00		Later models do not have the fuse holder

E113	SLA Battery charger - 3A	\$ 40.00		For SLA batteries only - not Lithium.
E201	XR5G - Drive Wheel (left/right the same) - (Different from XR5 wheel)	\$ 60.00		Fits over 3-pronged drive coupler attached to the axle (see E204)
E203	Axle nut & bolt	\$ 4.00		
E204	Drive coupler	\$ 6.00		
E205	200W Motor with SS gearing - XR5	\$ 90.00		
X207	Front wheel ass'y c/w bearings	\$ 35.00		Tread pattern may vary
E210	Front wheel spacers	\$ 6.00		2 required - keeps wheel in centre of axle
X211	Front tire only	\$ 10.00		Tread pattern may vary
X212	Drive wheel tire only - 11.5" OD	\$ 20.00		11.5" OD - Tread pattern may vary
X301	Bungee cord set	\$ 12.00		
X303	Anti-tip wheel ball pin	\$ 4.00		
E304	Front wheel axle & adjusting mechanism	\$ 12.00		
X307	Bushing (receives threaded knobs)	\$ 6.00		Located at joint of upper and lower poles on XR5 - must be epoxied in place
